

Part Number	Description	Spec #	Unit of Measure	Sold in Multiples of	Applications
VP-418935	BUFFER OIL	#10	1 GALLON	4	FOR USE ON TYPICAL OTIS BUFFERS IN PITS. UNDER 18K LBS LOADING
VP-418940	BUFFER OIL	#10	5 GALLONS	1	FOR USE ON TYPICAL OTIS BUFFERS IN PITS. UNDER 18K LBS LOADING
VP-419805	HEAVY DUTY BUFFER OIL	#42	5 GALLONS	1	FOR USE ON HEAVY DUTY OTIS OIL BUFFERS IN PITS. OVER18K LBS LOADING
VP-420240	GREASE	#12	14 OUNCE TUBE	10	THE MOST COMMON OTIS GREASE - COVERS NUMEROUS APPLICATIONS. FOR ROLLER, BALL & NEEDLE BEARINGS. (LOCKS, GEARED & GEARLESS MACHINE ROLLER/BALL BEARINGS)
VP-420245	GREASE	#12	5 GALLONS	1	THE MOST COMMON OTIS GREASE - COVERS NUMEROUS APPLICATIONS. FOR ROLLER, BALL & NEEDLE BEARINGS. (LOCKS, GEARED & GEARLESS MACHINE ROLLER/BALL BEARINGS)
VP-419748	GREASE, SYNTHETIC	#17	14 OUNCE TUBE	3	SPECIAL SYNTHETIC GREASE, TO BE USED ON MACHINE BEARINGS WHOSE GEARBOXES ARE ALREADY USING SYNTHETIC OIL LUBRICANT #45
VP-420040	OPEN GEAR LUBE	#14	12 OUNCE TUBE	10	LUBRICANT FOR USE ON EXTERNALLY GEARED TYPE MACHINES WHERE HELICAL GEAR MESHES ARE VISIBLE. SUCH AS 208HX, 16VEG, 27BEX MACHINES. OR RACK AND PINION CONNECTIONS SUCH AS ON CERTAIN ESCALATOR TENSION CARRIAGES.
VP-418785	BEARING OIL	#2	1 QUART	6	OTIS' MOST COMMONLY USED OIL - USED FOR GENERAL LUBRICATION ON GOVERNORS, SELECTORS, DOOR OPERATORS, HIGH SPEED MG SET BRONZE BEARING SLEEVES
VP-418790	BEARING OIL	#2	1 GALLON	4	OTIS' MOST COMMONLY USED OIL - USED FOR GENERAL LUBRICATION ON GOVERNORS, SELECTORS, DOOR OPERATORS, HIGH SPEED MG SET BRONZE BEARING SLEEVES
VP-420540	CLEANER	#2	1 GALLON	6	MINERAL SPIRITS TYPE SOLVENT FOR DEGREASING, HEAVY CLEANING. REMOVES OILS, GREASE, ETC.
VP-420545	CLEANER	#2	5 GALLONS	1	MINERAL SPIRITS TYPE SOLVENT FOR DEGREASING, HEAVY CLEANING. REMOVES OILS, GREASE, ETC.



Part Number	Description	Spec #	Unit of Measure	Sold in Multiples of	Applications
VP-419240	GUIDE RAIL LUBE	#31, #31A	1 GALLON	4	SPECIFICALLY FORMULATED FOR SLIDE GUIDES FOR ELEVATOR GUIDE RAILS
VP-419330	WORM & GEAR OIL	#33	1 GALLON	4	WORM & GEAR LUBRICATING OIL FOR GEAR CASES UTILIZING STANDARD DUTY OTIS WORM & GEAR SETS. VOLUME NEEDED PER GEARCASE VARIES. MUST NOT BE MIXED WITH SPEC #45 OIL. TAKE CARE TO LABEL MACHINE ACCORDINGLY WITH WHAT SPEC OIL IS BEING USED.
VP-419390	WORM & GEAR OIL	#33	5 GALLONS	1	WORM & GEAR LUBRICATING OIL FOR GEAR CASES UTILIZING STANDARD DUTY OTIS WORM & GEAR SETS. VOLUME NEEDED PER GEARCASE VARIES. MUST NOT BE MIXED WITH SPEC #45 OIL. TAKE CARE TO LABEL MACHINE ACCORDINGLY WITH WHAT SPEC OIL IS BEING USED.
VP-419745	SYNTH. WORM & GEAR OIL	#45	5 GALLONS	1	APPLIES TO MACHINES WHOSE DUTIES WERE SPECIALLY EXTENDED AND FOR EXTREME LOADING APPLICATIONS. HIGHER SPEED AND EXTREME LOAD, CT & ESCALATOR MACHINES FOR EXAMPLE.
VP-419747	SYNTH. WORM & GEAR OIL	#45	5 LITERS	1	APPLIES TO MACHINES WHOSE DUTIES WERE SPECIALLY EXTENDED AND FOR EXTREME LOADING APPLICATIONS. HIGHER SPEED AND EXTREME LOAD, CT & ESCALATOR MACHINES FOR EXAMPLE.
VP-419540	DOW SILICONE RELAY OIL	#35	10 OUNCE	6	LIGHT SILICONE OIL SPECIFICALLY FOR USE IN OTIS N-301 DASHPOT OVERLOAD RELAYS
VP-821610	HYDRAULIC OIL	#36	55 GALLONS	1	PETROLEUM BASED (AS OPPOSED TO VEGETABLE BASED) HYDRAULIC ELEVATOR OIL. USED IN HYDRAULIC MACHINE RESERVOIRS AND JACKS.
VP-821600	HYDRAULIC OIL	#36	5 GALLONS	1	PETROLEUM BASED (AS OPPOSED TO VEGETABLE BASED) HYDRAULIC ELEVATOR OIL. USED IN HYDRAULIC MACHINE RESERVOIRS AND JACKS.



Part Number	Description	Spec #	Unit of Measure	Sold in Multiples of	Applications
VP-821620	HYDRAULIC OIL ADDITIVE	N/A	1 QUART	8	ADDITIVE OIL ONLY, FOR RESOLVING SOME 'STICTION' PROBLEMS IN HYDRAULIC ELEVATORS WITH PETROLEUM BASED OILS IN PLACE NOW.
VP-419590	GEARLESS MACHINE (SLEEVE) BEARING OIL	#38	1 GALLON	4	BEARING OIL FOR OLDER GEARLESS MACHINES WITH BABBITTED SLEEVE BEARINGS ON SHEAVE SHAFTS. OIL IS CARRIED BY OILER CHAIN FROM A RESERVOIR BENEATH BEARING SLEEVE.
VP-419690	CHAIN OIL - FOR STEP & VARIOUS ROLLER CHAINS	#39	1 GALLON	1	STEP CHAIN & ROLLER CHAIN OIL WITH TACKIFYING AGENT - FOR USE ON ESCALATOR STEP CHAINS FOR(ML, R-RB-RBC, J, 506, 506SL, 510 & NCE UNITS), DOOR OPERATOR DRIVE CHAINS, ESCALATOR HANDRAIL DRIVE CHAINS, SELECTOR CHAINS. (FORMERLY CHAIN OIL #50)
VP-419775	DOOR OPERATOR OIL- (CHECKS & GEARBOXES)	#41	1 QUART	6	DOOR OPERATOR GEARBOX OIL FOR OTIS 'F' , 6970. DOOR CHECK OIL FOR 6970 AND 7300, 7770A OPERATORS. (FOR 7300 GEARBOXES, USE #33)
VP-419780	DOOR OPERATOR DOOR CHECK OIL, COLD WEATHER	N/A	1 QUART	1	SAME APPLICATION FOR DOOR CHECKS ONLY AS IN SPEC #41 OIL
VP-419820	HELICAL GEAR OIL	#43	1 GALLON	4	HELICAL GEARBOX OIL USED SPECIFICALLY ON OTIS: 215DT, 306DT, 315DT, 215EEC MACHINES
VP-419400	HELICAL GEAR OIL -SYNTHETIC	#46	5 GALLONS	1	HELICAL GEAR OIL FOR SAME APPLICATIONS AS #43 OIL, EXCEPT FOR VERY LOW TEMPERATURE CONDITIONS, OR EXTREME TEMP VARIATIONS. ALSO APPLIES FOR ANY ESCALATOR GEARBOXES MARKED WITH THE LO33A LUBRICANT DESIGNATION.
VP-419150	DOOR CLOSER DASHPOT	#47	1 QUART	15	OLDER OPERATORS WITH DASHPOTS - 'A', 'O', 30-S DOOR OPERATORS - DASHPOT OIL ONLY
GAA20401A534	OTIS OIL - EC143	#53	5 LITERS	2	SYNTHETIC OIL FOR SPECIFIC USE ON OTIS EC143 ESCALATOR MACHINES, GENERALLY USED ON OTIS 506, 506SL ESCALATORS
GAA20401C540	OTIS HYPOID GEAR OIL	#54	5 LITERS	2	FOR ESCALATOR GEARBOXES SUCH AS EC-H3 UNITS



Part Number	Description	Spec #	Unit of Measure	Sold in Multiples of	Applications
DAA518A3-P01	STEP CHAIN LUBRICANT-POST 2008-AUTO OILERS	#55	1 LITER	1	STEP CHAIN (SPECIAL HIGH VISCOSITY) LUBRICATING OIL FOR POST 2008 UNITS WITH AUTO-LUBRICATORS. OTIS 508, 512 NCE TYPE UNITS
VP-419750	WIRE ROPE LUBE	#60	1 GALLON	6	OTIS WIRE ROPE LUBRICANT - FOR USE WHEN APPLYING DIRECTLY TO WIRE ROPES UPON INSTALLATION AND ALSO USING ROPE LUBRICATOR WICKING DEVICES
VP-419755	WIRE ROPE LUBE	#60	1 QUART	12	OTIS WIRE ROPE LUBRICANT - FOR USE WHEN APPLYING DIRECTLY TO WIRE ROPES UPON INSTALLATION AND ALSO USING ROPE LUBRICATOR WICKING DEVICES
VP-871800	SLIPIT	N/A	1 QUART	12	GUIDE RAIL LUBRICANT - ALTERNATIVE TO OIL #31
VP-820410	NYEBAR TYPE Q	N/A	2 OUNCES	2	SOLUTION TO STOP OIL CREEPAGE ALONG MOTOR SHAFTS - APPLY TO MACHINES OR MG SETS WHERE WINDINGS AND COMMUTATORS DESIRE TO BE PROTECTED FROM UNDUE OIL CREEPAGE
VP-420540	CLEANER, GEN 2 BELTS	#2	1 GALLON	6	THE ONLY APPROVED CLEANING SOLUTION FOR USE ON GEN 2 BELTS. (BELT CONDITIONER IS A DIFFERENT PRODUCT AND IS ONLY APPLIED UNDER THE DIRECTION OF OTIS EXPERTISE).
VP-740553	SPRAY SILICONE LUBRICANT	N/A	11 OUNCES	12	SPRAY LUBRICANT, SILICONE SPRAY AEROSOL - LPS2. USE IN PLACE OF WD-40.
VP-794060	SPRAY SILICONE LUBRICANT	N/A	12 OUNCES	12	SPRAY LUBRICANT, HEAVY DUTY SILICONE SPRAY AEROSOL (LPS). COLORLESS, ODORLESS, ELIMINATES SQUEAKS, BINDING & STICKING.